

# Safety data sheet

Page: 1/11

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 19.03.2020

Version: 2.0

Product: **Ultrafuse® PLA PRO1 Natural White polylactic acid filament**

(ID no. 11120976/SDS\_GEN\_00/EN)

Date of print 20.03.2021

## 1. Identification

### Product identifier

## Ultrafuse® PLA PRO1 Natural White polylactic acid filament

Recommended use: 3D Printing, for industrial use only

### Details of the supplier of the safety data sheet

Company:

BASF 3D Printing Solutions B.V.  
Eerste Bokslotweg 17  
7821 AT Emmen, Netherlands

Telephone: + 31 591 820 389  
E-mail address: sales@basf-3dps.com

### Emergency telephone number

International emergency number:  
Telephone: +49 180 2273-112

---

## 2. Hazards Identification

### Classification of the substance or mixture

According to UN GHS criteria

No need for classification according to GHS criteria for this product.

### Label elements

Globally Harmonized System (GHS)

---

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 19.03.2020

Version: 2.0

Product: **Ultrafuse® PLA PRO1 Natural White polylactic acid filament**

(ID no. 11120976/SDS\_GEN\_00/EN)

Date of print 20.03.2021

The product does not require a hazard warning label in accordance with GHS criteria.

Labeling of special preparations (GHS):

The following percentage of the mixture consists of component(s) with unknown hazards regarding the acute toxicity: 78 - 80 %, oral

### **Other hazards**

According to UN GHS criteria

No specific dangers known, if the regulations/notes for storage and handling are considered.

---

## **3. Composition/Information on Ingredients**

### **Substances**

Not applicable

### **Mixtures**

Chemical nature

Polymer

Hazardous ingredients (GHS)

According to UN GHS criteria

No particular hazards known.

---

## **4. First-Aid Measures**

### **Description of first aid measures**

Remove contaminated clothing.

If inhaled:

Remove the affected individual into fresh air and keep the person calm. Assist in breathing if necessary. If symptoms persist, seek medical advice.

On skin contact:

Wash thoroughly with soap and water. Burns caused by molten material require hospital treatment. If irritation develops, seek medical attention.

On contact with eyes:

In case of contact with the eyes, rinse immediately for at least 15 minutes with plenty of water. If irritation develops, seek medical attention.

On ingestion:

---

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 19.03.2020

Version: 2.0

Product: **Ultrafuse® PLA PRO1 Natural White polylactic acid filament**

(ID no. 11120976/SDS\_GEN\_00/EN)

Date of print 20.03.2021

Keep patient calm, remove to fresh air. Immediate medical attention required.

### **Most important symptoms and effects, both acute and delayed**

Symptoms: (Further) symptoms and / or effects are not known so far

Hazards: No hazard is expected under intended use and appropriate handling.

### **Indication of any immediate medical attention and special treatment needed**

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

---

## **5. Fire-Fighting Measures**

### **Extinguishing media**

Suitable extinguishing media:  
water spray, foam, dry powder

### **Special hazards arising from the substance or mixture**

carbon oxides

The substances/groups of substances mentioned can be released in case of fire.

### **Advice for fire-fighters**

Special protective equipment:  
Wear a self-contained breathing apparatus.

Further information:

Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

---

## **6. Accidental Release Measures**

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Avoid the formation and build-up of dust - danger of dust explosion. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

### **Personal precautions, protective equipment and emergency procedures**

No special precautions necessary.

### **Environmental precautions**

Do not discharge into drains/surface waters/groundwater.

### **Methods and material for containment and cleaning up**

For small amounts: Sweep/shovel up.

For large amounts: Sweep/shovel up. Vacuum up spilled product.

Reclaim for processing if possible. Ensure adequate ventilation. Avoid raising dust.

---

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 19.03.2020

Version: 2.0

Product: **Ultrafuse® PLA PRO1 Natural White polylactic acid filament**

(ID no. 11120976/SDS\_GEN\_00/EN)

Date of print 20.03.2021

---

## 7. Handling and Storage

### Precautions for safe handling

Avoid inhalation of dusts/mists/vapours. Ensure adequate ventilation. Provide suitable exhaust ventilation at the drying process and in the area surrounding the melt outlet of processing machines. Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Avoid the formation and deposition of dust.

Protection against fire and explosion:

The product is not an oxidizer, not self-combustible and not explosive. Avoid dust formation. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

### Conditions for safe storage, including any incompatibilities

Storage stability:

Protect against moisture.

---

## 8. Exposure Controls/Personal Protection

### Control parameters

#### Components with occupational exposure limits

No occupational exposure limits known.

### Exposure controls

#### Personal protective equipment

Respiratory protection:

Breathing protection if breathable aerosols/dust are formed. Wear respiratory protection if ventilation is inadequate. Particle filter with medium efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P2 or FFP2)

Hand protection:

Use additional heat protection gloves when handling hot molten masses (EN 407), e.g. of textile or leather.

Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

#### General safety and hygiene measures

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 19.03.2020

Version: 2.0

Product: **Ultrafuse® PLA PRO1 Natural White polylactic acid filament**

(ID no. 11120976/SDS\_GEN\_00/EN)

Date of print 20.03.2021

Wear protective clothing to prevent contact during mechanical processing and/or hot melt conditions. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift.

## 9. Physical and Chemical Properties

### Information on basic physical and chemical properties

Form:	filament
Colour:	white
Odour:	odourless
Odour threshold:	not applicable
pH value:	not applicable
melting range:	not determined
Boiling point:	not applicable
Flash point:	not applicable
Evaporation rate:	The product is a non-volatile solid.
Flammability:	not flammable
Lower explosion limit:	For solids not relevant for classification and labelling.
Upper explosion limit:	For solids not relevant for classification and labelling.
Ignition temperature:	not applicable
Vapour pressure:	not applicable
Density:	(25 °C) not determined
Relative vapour density (air):	not applicable
Solubility in water:	insoluble
Partitioning coefficient n-octanol/water (log Kow):	not applicable
Self ignition:	not self-igniting
Thermal decomposition:	No decomposition if stored and handled as prescribed/indicated. Prolonged thermal loading can result in products of degradation being given off.
Viscosity, dynamic:	not applicable

---

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 19.03.2020

Version: 2.0

Product: **Ultrafuse® PLA PRO1 Natural White polylactic acid filament**

(ID no. 11120976/SDS\_GEN\_00/EN)

Date of print 20.03.2021

Viscosity, kinematic:

not applicable, the product is a solid

Explosion hazard: not explosive

Fire promoting properties: not fire-propagating

### Other information

Self heating ability: It is not a substance capable of spontaneous heating.

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

---

## 10. Stability and Reactivity

### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals: No corrosive effect on metal.

### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

### Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

The product is chemically stable.

### Conditions to avoid

Temperature: > 300 °C

Prolonged exposure to elevated temperatures may result in exothermic decomposition accompanied by a pressure build-up in sealed containers. Avoid all sources of ignition: heat, sparks, open flame.

### Incompatible materials

Substances to avoid:

oxidizing agents

### Hazardous decomposition products

Hazardous decomposition products:

monomers, gases/vapours, oxides, hydrocarbons

---

## 11. Toxicological Information

### Information on toxicological effects

Acute toxicity

---

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 19.03.2020

Version: 2.0

Product: **Ultrafuse® PLA PRO1 Natural White polylactic acid filament**

(ID no. 11120976/SDS\_GEN\_00/EN)

Date of print 20.03.2021

Assessment of acute toxicity:

Contact with molten product may cause thermal burns.

(by inhalation):The inhalation of dusts represents a potential acute hazard.

(dermal):No applicable information available.

The following percentage of the mixture consists of components(s) with unknown hazards regarding the acute toxicity: 78 - 80 %

#### Irritation

Assessment of irritating effects:

May cause slight irritation to the skin. May cause slight irritation to the eyes.

Experimental/calculated data:

Skin corrosion/irritation: May cause mechanical irritation.

Serious eye damage/irritation: May cause mechanical irritation.

#### Respiratory/Skin sensitization

Assessment of sensitization:

The chemical structure does not suggest a sensitizing effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Germ cell mutagenicity

Assessment of mutagenicity:

The chemical structure does not suggest a specific alert for such an effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Carcinogenicity

Assessment of carcinogenicity:

The chemical structure does not suggest a specific alert for such an effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Reproductive toxicity

Assessment of reproduction toxicity:

The chemical structure does not suggest a specific alert for such an effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Developmental toxicity

Assessment of teratogenicity:

---

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 19.03.2020

Version: 2.0

Product: **Ultrafuse® PLA PRO1 Natural White polylactic acid filament**

(ID no. 11120976/SDS\_GEN\_00/EN)

Date of print 20.03.2021

The chemical structure does not suggest a specific alert for such an effect. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on available Data, the classification criteria are not met.

#### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

Repeated exposure to the substance by dermal administration leads to effects similar to those found after single exposure. Repeated exposure to the substance by inhalative administration leads to effects similar to those found after single exposure. Repeated exposure to the substance by oral administration leads to effects similar to those found after single exposure. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Aspiration hazard

No aspiration hazard expected.

#### Other relevant toxicity information

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

---

## 12. Ecological Information

### **Toxicity**

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms.

### **Persistence and degradability**

Assessment biodegradation and elimination (H<sub>2</sub>O):

Experience shows this product to be inert and non-degradable.

### **Bioaccumulative potential**

Assessment bioaccumulation potential:

Accumulation in organisms is not to be expected.

Bioaccumulation potential:

Accumulation in organisms is not to be expected.



---

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 19.03.2020

Version: 2.0

Product: **Ultrafuse® PLA PRO1 Natural White polylactic acid filament**

(ID no. 11120976/SDS\_GEN\_00/EN)

Date of print 20.03.2021

### **Mobility in soil**

Assessment transport between environmental compartments:

Adsorption in soil: Study scientifically not justified.

### **Results of PBT and vPvB assessment**

The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

### **Additional information**

Add. remarks environm. fate & pathway:

Due to the consistency of the product, dispersion into the environment is impossible. Therefore no negative effects on the environment may be anticipated based on the present state of knowledge.

---

## **13. Disposal Considerations**

### **Waste treatment methods**

Must be disposed of or incinerated in accordance with local regulations.

A waste code in accordance with the European waste catalog (EWC) cannot be specified, due to dependence on the usage.

The waste code in accordance with the European waste catalog (EWC) must be specified in cooperation with disposal agency/manufacturer/authorities.

Contaminated packaging:

Packs that cannot be cleaned should be disposed of in the same manner as the contents.

Uncontaminated packaging can be re-used.

---

## **14. Transport Information**

### **Land transport**

ADR

	Not classified as a dangerous good under transport regulations
UN number:	Not applicable
UN proper shipping name:	Not applicable
Transport hazard class(es):	Not applicable
Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

---

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 19.03.2020

Version: 2.0

Product: **Ultrafuse® PLA PRO1 Natural White polylactic acid filament**

(ID no. 11120976/SDS\_GEN\_00/EN)

Date of print 20.03.2021

---

**RID**

Not classified as a dangerous good under transport regulations

UN number: Not applicable  
UN proper shipping name: Not applicable  
Transport hazard class(es): Not applicable  
Packing group: Not applicable  
Environmental hazards: Not applicable  
Special precautions for user: None known

**Inland waterway transport****ADN**

Not classified as a dangerous good under transport regulations

UN number: Not applicable  
UN proper shipping name: Not applicable  
Transport hazard class(es): Not applicable  
Packing group: Not applicable  
Environmental hazards: Not applicable  
Special precautions for user: None known

**Transport in inland waterway vessel**

Not evaluated

**Sea transport****IMDG**

Not classified as a dangerous good under transport regulations

UN number: Not applicable  
UN proper shipping name: Not applicable  
Transport hazard class(es): Not applicable  
Packing group: Not applicable  
Environmental hazards: Not applicable  
Special precautions for user: None known

**Air transport****IATA/ICAO**

Not classified as a dangerous good under transport regulations

UN number: Not applicable  
UN proper shipping name: Not applicable  
Transport hazard class(es): Not applicable

---

BASF Safety data sheet according to UN GHS 4th rev.

Date / Revised: 19.03.2020

Version: 2.0

Product: **Ultrafuse® PLA PRO1 Natural White polylactic acid filament**

(ID no. 11120976/SDS\_GEN\_00/EN)

Date of print 20.03.2021

Packing group:	Not applicable
Environmental hazards:	Not applicable
Special precautions for user	None known

### **Transport in bulk according to Annex II of MARPOL and the IBC Code**

Regulation:	Not evaluated
Shipment approved:	Not evaluated
Pollution name:	Not evaluated
Pollution category:	Not evaluated
Ship Type:	Not evaluated

---

## **15. Regulatory Information**

### **Safety, health and environmental regulations/legislation specific for the substance or mixture**

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

---

## **16. Other Information**

Any other intended applications should be discussed with the manufacturer. Corresponding occupational protection measurements must be followed.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

---

Vertical lines in the left hand margin indicate an amendment from the previous version.